1	[Main]
2	***********
3	# By setting the following argument to "true", you agree to the
4	# Appeon License Agreement.
5	# Please read the License Agreement before you agree to it.
6	**********
7	AgreeToAppeonLicense=true
8	
9	*******
10	#Set your Product Key information.
11	
12	ProductKev=xxxxxxxxxxxxxxxxxxxxxx
13	
14	
15	********
16	#The silent installation configuration for AppeonPowerServer Components
17	
18	
19	[nowerserver]
20	
20	#Set whether to work with Windows Azure environment
21	# y aluge for Work with windows Azure environment.
22	#value values for workwithAzure are. true, faise
22	unnunnunnunnunnunnunnunnunnunnunnunnunn
24	WOI KWICHAZUI E-TAISE
25	*****
20	#Set whether to register NET Eramework
27	#Valid values for Perister NETEnamework and: thus false
20	######################################
20	PagistonNETEnamowonk-thua
31	
32	*****
32	#Set whether to automatically set Enable32BitAnnOnWin64 for TTS
3/	#/alid values for AutoSetEnable32BitAppOnWin64 are: true false
35	
36	AutoSetEnshle32BitAnnOnWin61-true
37	
22	*****
30	#Set whether to ungrade APB 6 x which is lower than Anneon PowerServer 2020
10	#Valid values for Ungrade6x are: true false
40	# values for opgradeox are. crue, faise
41	π ####################################
42	llnan-dofy-touo
45 ЛЛ	opgi adeox-ci de
44	*****
45	#Set whether to sutomatically create a DowerServer Instance on a new Web site
17	$\pm$ /alid values for CreateWebSite are: true false
47	
+0 /0	rennennennennennennennennennennennennenn
47 50	
51	*****
2.J	######################################
52	#Jet the name of the new of an existing its web site where PowerServer will be
55 57	#1115Cdllev.
54 55	######################################
55	webstreiname=appeon
OC	

58 #If you set CreateWebSite parameter with true, set the Home Directory for the 59 #new IIS Web Site. 60 #Example: 61 #WebSiteHome=C:\Inetpub\wwwroot2 63 WebSiteHome=C:\Inetpub\wwwroot 64 66 #If you set CreateWebSite parameter with true, set the Http Port for the new 67 #IIS Web Site. 68 #Valid values for WebSitePort are: between 1 and 65535 69 #Example: 70 #WebSitePort=82 72 WebSitePort=80 73 75 #Set the user name and password of an administrator group member for the 76 #application pool used by PowerServer. These two parameters must be set in order 77 #to install and run PowerServer on Windows Azure successfully. 78 #Example: 79 #ProcessModelUserName=administrator 80 #ProcessModelPassword=appeon 82 ProcessModelUserName= 83 ProcessModelPassword= 84 86 #Set whether to install Appeon Demo. 87 #Valid values for InstallDemo are: true, false 89 InstallDemo=false 90 92 #If you set InstallDemo parameter with true, specify the path for the SA engine 93 #Example: 94 #SAENGPATH=C:\Program Files\SQL Anywhere 10\win32 95 #SAENGPATH=C:\Program Files\SQL Anywhere 12\Bin64 97 SAENGPATH=C:\Program Files\SQL Anywhere 17\Bin64 98 100 #Set whether to enable the Connection Pooling feature in ODBC Data Source 101 #Administrator for SA Valid values for EnableASAODBCPool are: true, false 103 EnableASAODBCPool=true 104 106 #Set the AEM login user name and password. 108 AEMUserName=admin 109 AEMPassword=admin 110 112 #Set whether to modify current ASP.NET settings

```
113 #Valid values for ModifyASPSettings are: true, false
115 ModifvASPSettings=false
116
118 #Set ASP.NET settings
120 minWorkerThreads=
121 maxIoThreads=
122 minWorkerThreads=
123 minFreeThreads=
124 minLocalRequestFreeThreads=
125 executionTimeout=
126 maxRequestLength=
128 #Set whether to support Silent Install AppPackage
129 #Valid values for Silent Install AppeonPackage are: true, false
131 Silent Install AppPackage=true
132
134 #Set the Silent Install AppPackage directory for the PowerServer for .Net.
135 #Example:
136 #AppPackage 1=AppPackage1
138 AppPackage_1=TEST
139
140 [jbossserver]
142 #Set the home directory of JBoss Server
143 #Example:
144 #JBossPath=C:\wildfly-10.0.0.Final
145 #JBossPath=C:\jboss-eap-6.4
147 JBossPath=C:\Servers\jboss-eap-6.1
148
150 #Set Instance Name for the Jboss.
151 #PowerServer will be installed to the specified JBoss Instance.
152 #Important: Appeon does not support all JBoss server instances.
153 #Please set the server instance created based on the "all" or "default"
154 #configuration file set.
155 #Example:
156 #InstanceName=standalone
158 InstanceName=standalone
159
161 #Set the AEM login user name and password.
163 AEMUserName=admin
164 AEMPassword=admin
165
167 #Set whether to upgrade APB 6.x which is lower than Appeon PowerServer 2020
168 #Valid values for Upgrade6x are: true, false
```

170 Upgrade6x=true 171 173 #set the directory where the JDK 1.6 or above located. 174 #Example: 175 #JDKHome=C:\Program Files\Java\jdk1.6.0 17 177 JDKHome=C:\Program Files\Java\jdk1.6.0 17 178 180 #Set whether to support Silent Install AppPackage 181 #Valid values for Silent Install AppeonPackage are: true, false 183 Silent Install AppPackage=true 184 186 #Set the Silent Install AppPackage directory for the PowerServer for Jboss. 187 #Example: 188 #AppPackage\_1=AppPackage1 190 AppPackage 1= 191 AppPackage 2= 192 AppPackage 3= 193 AppPackage 4= 194 AppPackage\_5= 195 196 [jeusserver] 198 #Set the home directory of JEUS Server 199 #Example: 200 #JEUSPath=C:\TmaxSoft\JEUS6.0 202 JEUSPath=C:\Servers\TmaxSoft\JEUS6.0 203 205 #Set Engine Container Name for the JEUS. 206 #PowerServer will be installed to the specified Engine Container. 207 #Example: 208 #InstanceName=container1 210 InstanceName=container1 211 212 214 #Set the AEM login user name and password. 216 AEMUserName=admin 217 AEMPassword=admin 218 220 #Set whether to upgrade APB 6.x which is lower than Appeon PowerServer 2020 221 #Valid values for Upgrade6x are: true, false 223 Upgrade6x=true 224

226 #set the directory where the JDK 1.6 or above located. 227 #Example: 228 #JDKHome=C:\Program Files\Java\jdk1.6.0 17 230 JDKHome=C:\Program Files\Java\jdk1.6.0 17 231 233 #Set whether to support Silent Install AppPackage. 234 #Valid values for Silent Install AppeonPackage are: true, false 236 Silent Install AppPackage=true 237 239 #Set the Silent Install AppPackage directory for the PowerServer for JEUS. 240 #Example: 241 #AppPackage 1=AppPackage1 243 AppPackage 1= 244 AppPackage\_2= 245 AppPackage 3= 246 AppPackage 4= 247 AppPackage 5= 248 249 [weblogicserver] 251 #Set the home directory of Weblogic Server. 252 #Setup will install PowerServer deployment wizard in this folder. 253 #Example: 254 #WeblogicPath=C:\Oracle\Middleware 12C\wlserver 12.1 255 #WeblogicPath=C:\Oracle\Middleware\Oracle Home\wlserver 257 WeblogicPath=C:\Servers\Oracle12c\Middleware\wlserver\_12.1 258 260 #Set Domain Name for the Weblogic. 261 #PowerServer will be installed to the specified WebLogic domain. 262 #Example: 263 #DomainName=base domain 265 DomainName=base\_domain 266 268 #Set the AEM login user name and password. 270 AEMUserName=admin 271 AEMPassword=admin 272 274 #Set whether to upgrade APB 6.x which is lower than Appeon PowerServer 2020 275 #Valid values for Upgrade6x are: true, false 277 Upgrade6x=true 278 280 #set the directory where the JDK 1.6 or above located.

281	#Example:
282	#JDKHome=C:\Program Files\Java\jdk1.6.0_17
283	
284	JDKHome=C:\Servers\Oracle12c\Middleware\jdk160_29
285	
286	
287	#Set whether to support Silent Install Apprackage
288	#valid values for Silent install AppeonPackage are: true, false
289	######################################
290	SITENC_INSCALL_ADDRACKAGE=Crue
291	*****
292	#Set the Silent Install AnnPackage directory for the PowerServer for Weblogic
294	#Example:
295	#AppPackage 1=AppPackage1
296	
297	AppPackage 1=
298	AppPackage 2=
299	AppPackage_3=
300	AppPackage_4=
301	AppPackage_5=
302	
303	[websphereserver]
304	***************************************
305	#Set the home directory of Websphere Server.
306	#Setup will install PowerServer deployment wizard in this folder.
307	#Example:
308	#WebspherePath=C:\1BM\WebSphere\AppServer
309	
310 211	webspherePath=C:/IBM/websphere/AppServer
311 312	*****
313	#Set the ΔFM login user name and nassword
314	
315	AEMUserName=admin
316	AEMPassword=admin
317	
318	************************
319	#Set whether to upgrade APB 6.x which is lower than Appeon PowerServer 2020
320	#Valid values for Upgrade6x are: true, false
321	**********
322	Upgrade6x=true
323	
324	
325	#set the directory where the JDK 1.6 or above located.
326	#Example:
327	#JDKHome=C:\Program Files\Java\jdk1.6.0_17
328	
229	JDKUOME=C./LLORLAM LITES/JAVA/JUKI.0.0_I/
00CC 221	*****
222 727	######################################
332	#Valid values for Silent Install AnneonPackage are: true false
334	
335	Silent Install AppPackage=true
336	

338 #Set the Silent Install AppPackage directory for the PowerServer for Websphere. 339 #Example: 340 #AppPackage 1=AppPackage1 342 AppPackage 1= 343 AppPackage 2= 344 AppPackage\_3= 345 AppPackage 4= 346 AppPackage 5= 347 348 [WebComponent] 350 #Set the installation location of Appeon PowerServer Webcomponent. 351 #Example: 352 #WebHome=C:\Program Files\Appeon\WebComponent2020 354 WebHome=C:\Program Files\Appeon\WebComponent2020 355 357 #Set whether to upgrade APB 6.x which is lower than Appeon PowerServer 2020. 358 #Valid values for Upgrade6x are: true, false 360 Upgrade6x=true 361 362 363 [help] 365 #Set the installation location of Appeon PowerServer Help. 366 #Example: #HelpHome=C:\Program Files\Appeon\Help2020 367 369 HelpHome=C:\Program Files\Appeon\Help2020 370 372 #Set whether to upgrade APB 6.x which is lower than Appeon PowerServer 2020. 373 #Valid values for Upgrade6x are: true, false 375 Upgrade6x=true 376

Page 7 of 7